

Technical data

ENA Micro 1



JURA standards for all automatic coffee machines

Variable brewing unit	6 - 10 g 0.013 - 0.022 lb
Intelligent Pre-Brew Aroma System (I.P.B.A.S.©)	■
Additional preground coffee powder	■
Hot water function	
Cappuccino frother	
Height-adjustable coffee spout	■
Multi-level conical grinder	■
CLARIS / CLEARYL filter cartridge	■
High-performance pump, 15 bar	■
Thermoblock heating system	■
Integrated rinsing, cleaning and descaling programme	■
Adjustable water hardness	■
Zero-Energy Switch or power switch	■

Specific advantages

Swiss made	
Energy Save Mode (E.S.M.©)	■
Latte macchiato at the touch of a button	
Cappuccino at the touch of a button	
Caffè latte at the touch of a button	
Automatic changeover from milk to milk foam	
Power hot water system (3 temperature levels)	

Technical data

ENA Micro 1



Aroma Boost function

Easy Select©

À la carte bean selection

Coffee à la carte

Powder recognition for additional ground coffee variety

■

Intelligent preheating

■

Sensitive-Touchscreen Technology©

■

Integrated storage compartment

TÜV certificate for manual

■

Settings and programming options

Programmable amount of water

Amount of water can be adjusted for each preparation

■

Programmable coffee strength levels

Coffee strength can be adjusted for each preparation

■

Programmable aroma levels

Programmable brewing temperature levels

Hot water temperature can be programmed to 3 levels

Clear text / graphic display

Clear text display

Symbol display

■

TFT colour display

Rotary Switch

Technical data



ENA Micro 1

Programmable switch-on time

Programmable switch-off time

Switch-on and switch-off times for each day

Active bean monitoring

Monitored drip tray

Monitored aroma preservation cover



Integrated cappuccino rinsing and cleaning programme

Maintenance status display

Design and materials

Alu Frame Design© 3 mm aluminium front panel

Aluminium front panel

Venti Ports

Electrically adjustable ceramic disc grinder (levels)

Height-adjustable coffee spout

58 - 141 mm

2 - 5.5 in

Width-adjustable coffee spout

Rotating coffee spout

Height-adjustable cappuccino spout

Height-adjustable dual spout (Cappuccino/Coffee)

Height-adjustable hot water spout

Cup illumination

Connector System©

Sound design

Technical data

ENA Micro 1



Accessories

Stainless steel vacuum milk container

Cup warmer Z

Cup warmer

optional

Cool Control

Professional Cappuccino Frother

In figures

Water tank capacity

1,1 l
37 oz

Coffee grounds container (servings)

~ 9

Bean container with aroma preservation cover

125 g
4.4 oz

Cable length

~ 1.1 m
~ 59 inch

Voltage

230 V AC, 50 Hz
UL: 120 V AC, 60 Hz

Power

1450 W

Energy consumption

4 Wh

Energy consumption with E.S.M.© 1

Energy consumption with E.S.M.© 2

Energy consumption with E.S.M.©

4 Wh

Stand-by power

0 W

Weight

8,8 kg
19.4 lb

Technical data
ENA Micro 1



Dimensions (W x H x T)

23 x 32,3 x 44,5 cm
9.06 x 12.72 x 17.52 in

Checks



Article number / colour

CH: 13593 Micro Black
EU: 13594 Micro Black
UL: 13626 Micro Black